Appl. No. : 10/564,804 Filed : January 13, 2006

AMENDMENTS TO THE CLAIMS

Please amend Claim 1 and add new Claim 14 as shown below.

- (CURRENTLY AMENDED) An improved method for the manufacture of 4-(4-Benzofuranzanyl)-1,4-dihydro-2,6-dimethyl-3,5-pyridinedicarboxylic acid methyl 1-methylethyl ester comprising the steps of:
 - (i) reacting 2,1,3-benzoxadiazole-4-carboxaldehyde with methyl acetoacetate in the presence of acetic acid and piperidine in diisopropyl ether to obtain 2-acetyl-3-benzofurazan-4-yl-acrylic acid methyl ester;
 - (ii) isolating and purifying 2-acetyl-3-benzofuran-4-yl-acrylic acid methyl ester to obtain purified 2-acetyl-3-benzofuran-4-yl-acrylic acid methyl ester <u>by recrystallizaton</u> from a solvent;
 - (iii) reacting 2-acetyl-3-benzofuran-4-yl-acrylic acid methyl ester with isopropylβ-aminoacrotonate in ethanol to obtain 4-(4-Benzofuranzanyl)-1,4-dihydro-2,6-dimethyl-3,5-pyridinedicarboxylic acid methyl 1-methylethyl ester.
- (ORIGINAL) An improved process as claimed in claim 1 wherein step (iii) is carried out at 25 to 40°C.
- (ORIGINAL) An improved process as claimed in claim 2 wherein step (iii) is carried out at 25 to 35°C.
- (ORIGINAL) An improved process as claimed in claim 1 wherein about 0.9 to 1.1
 mol of methyl acetoacetate is used for every 1.0 mole of 2,1,3-benzoxasiazole-4-carboxaldehyde.
- (ORIGINAL) An improved process as claimed in claim 4 wherein about 0.95 to
 1.0 mol of methyl acetoacetate is used for every 1.0 mol of 2,1,3-benzoxadiazole-4-carboxaldehyde.

Appl. No. Filed 10/564,804

:

January 13, 2006

 (ORIGINAL) An improved process as claimed as claim 1 wherein acetic acid and piperidine are used in catalytic amount.

- (ORIGINAL) An improved process as claimed in claim 6 wherein about 0.25 to 3.0 mol of acetic acid and about 0.8 to 0.06 mol of piperidine is used for every 1 mol of 2,1,3benzoxadiazole-4-carboxaldehyde.
- (ORIGINAL) An improved process as claimed in claim 1 wherein the 2-acetyl-3benofuran-4-yl-acrylic acid methyl ester obtained in step (ii) is crystallized from diisopropyl ether to obtain pure 2-acetyl-3-benzofuran-4-yl-acrylic acid methyl ester.
- (ORIGINAL) An improved process as claimed in claim 1 wherein about 0.9 to 1.05 mol of isopropyl-β-aminocrotonate is used for every 1 mol of 2-acetyl-3-benzofuran-4-yl-acrylic acid methyl ester.
- (ORIGINAL) An improved process as claimed in claim 9 wherein about 0.9 to
 1.00 mol of isopropyl-β-aminocrotonate is used for every 1 mol of 2-acetyl-3-benzofuran-4-ylacrylic acid methyl ester.
 - 11. (WITHDRAWN)
 - 12. (WITHDRAWN)
 - 13. (WITHDRAWN)
- 14. (NEW) An improved process as claimed in claim 1 wherein the solvent is selected from the group consisting of an ether, an alcohol and a mixture thereof.